

DRIFTWOOD SUPPORT BLOCK INSTALLATION

Side view



Top view



Position the 2 support blocks (SB) on the center of the grate running perpendicular to the grate bars. These will be used to elevate the center log so the remaining logs can be positioned properly following the log diagram. NOTE: 42 and 48 inch sets will include 3 support blocks


DRIFTWOOD

SEE THRU LOG DIAGRAM

DRS1806ST

Step 1

(Top View)



Step 2

(Front View)



Step 2

(Back View)



Step 3

(Front View)




Step 3

(Back View)



Final

(Top View)



DRIFTWOOD

SEE THRU LOG DIAGRAM

DRS2407ST

Step 1

(Top View)



Step 2

(Front View)



Step 2

(Back View)



Step 3

(Front View)




Step 3

(Back View)



Final

(Top View)



DRIFTWOOD

SEE THRU LOG DIAGRAM

DRS3008ST

Step 1

(Top View)



Step 2

(Front View)



Step 2

(Back View)



Step 3

(Front View)




Step 3

(Back View)



Final

(Top View)



DRIFTWOOD

INDIVIDUAL LOG DIAGRAM

0303DR 	0304DR 
0313DR 	0314DR 
0315DR 	0317DR 
0318DR 	0324DR 
0325DR 	0328DR 